SAFETY DATA SHEET

In accordance with 1907/2006 annex II 2015/830 and 1272/2008 (All references to EU regulations and directives are abbreviated into only the numeric term)

abbreviated into only the numeric

Amendment date 2021-06-30 Replaces SDS issued 2021-05-12 Revision date 2021-05-12 Version number 2.1



SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name

G-lim S

1.2. Relevant identified uses of the substance or mixture and uses advised against Identified uses Asphalt glue

1.3. Details of the supplier of the safety data sheet

Company	NCC Industry AB		
	Torvmossevägen 40		
	190 60 Stockholm-Arlanda		
	Sweden		
Telephone	08-585 510 00		
E-mail	sakerhetsdatablad@ncc.se		

1.4. Emergency telephone number

Acute cases: Call 112, request poison information.

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Upon assessment, this mixture is not classified as hazardous according to 1272/2008

2.2. Label elements

Hazard pictogram	Not applicable
Signal word	Not applicable
Hazard statement	Not applicable

Supplemental hazard information

EUH210 Safety data sheet available on request.

2.3. Other hazards

.

Heated product may cause burns.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Note that the table shows known hazards of the ingredients in pure form. These hazards are reduced or eliminated when mixed or diluted, see Section 16d.

Constituent	Classification	Concentration
ASPHALT		
CAS No: 8052-42-4 EC No: 232-490-9		30 - 100 %
DIATOMACEOUS EA	RTH	
CAS No: 61790-53-2 EC No: 612-383-7		10 - 30 %
MINERAL FIBER	·	·
	Skin Irrit. 2; H315	1 - 5 %
POLYMER		-
CAS No: 106107-54-4		1 - 5 %
RUBBER POWDER		
		1 - 5 %
DISTILLATES (PETR	OLEUM), HYDROTREATED HEAVY NAPHTHENIC	·
CAS No: 64742-52-5 EC No: 265-155-0 Index No: 649-465-00-7		<2 %

Explanations to the classification and labelling of the ingredients are given in Section 16e. Official abbreviations are printed in normal font. Text in italics are specifications and/or complements used in the calculation of the classification of this mixture, see Section 16b.

SECTION 4: First aid measures

4.1. Description of first aid measures

Generally

In case of concern, or if symptoms persist, call a doctor/physician.

Upon breathing in

Inhalation of fumes from heated product: let the injured rest at a warm place with fresh air. Contact the doctor if symptoms persist.

Upon eye contact

Remove contact lenses immediately if possible.

Rinse the eye for several minutes with lukewarm water. Contact a physician.

Upon skin contact

Remove contaminated clothes.

In case of contact with molten product, flush with cool water and consult a doctor. Do not attempt to remove the product from skin.

The product will shrink when cooled. Pay attention to the possibility that the blood supply can be cut off if the product covers major skin areas.

If the product needs to be removed, use lukewarm medicinal liquid paraffin.

Upon ingestion

Upon ingestion of larger amounts, consult a doctor/physician.

4.2. Most important symptoms and effects, both acute and delayed

Upon skin contact

Burn injuries may occur during contact with heated product.

4.3. Indication of any immediate medical attention and special treatment needed

When contacting a physician, take this SDS with you.

SECTION 5: Fire-fighting measures

5.1. Extinguishing media

Recommended extinguishing agents

Extinguish with water mist, powder, carbon dioxide or alcoholresistant foam.

Unsuitable extinguishing agents

May not be extinguished with water dispersed under high pressure.

5.2. Special hazards arising from the substance or mixture

Produces fumes containing harmful gases (carbon monoxide and carbon dioxide) when burning, and, in case of incomplete combustion, aldehydes and other toxic, harmful, irritant or environmentally harmful substances.

5.3. Advice for fire-fighters

Protective measures should be taken regarding other material at the site of the fire. In case of fire use proper breathing apparatus. Wear full protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Use recommended safety equipment, see section 8. Avoid inhalation and exposure to skin and eyes. Ensure good ventilation.

6.2. Environmental precautions

Avoid emissions into soil, water or air. Avoid discharge into sewers. Dam up the spillage to prevent it reaching street sewers or flowing into the ground.

6.3. Methods and material for containment and cleaning up

To be collected with caution and transported to a waste disposal facility. Contaminated products should be treated as chemical waste and declared as non-hazardous goods. Destruct according to the local directions.

6.4. Reference to other sections

See section 8 and 13 for personal protection equipment and disposal considerations.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Implement appropriate engineering controls if necessary, see Section 8.

Use recommended safety equipment, see section 8.

Treat the substance as potentially harmful to health.

Use this substance as if it were dangerous. Never eat, drink or smoke when handling dangerous substances.

Work in order to avoid spillage. If spillage does occur, address it immediately in accordance with the directions specified in Section 6 of this safety data sheet.

Store this product separately from food items and keep it out of the reach of children and pets.

Do not eat, drink or smoke in premises where this product is handled.

Do not inhale the fumes and avoid exposure to skin, eyes and clothing.

Wash your hands after using the product.

Take off work clothes and protective gear before meals.

Wash contaminated clothing before reuse.

Observe any instructions for use and/or warnings on the packaging. Avoid contact with eyes. If the product is frequently handled professionally and in the event of high skin exposure preventive skin protection or the use of skincare products is recommended.

7.2. Conditions for safe storage, including any incompatibilities

This product should be stored well out of reach of young children and kept safely apart from products intended for consumption.

Store only in the original package.

Do not store above normal room temperature or in direct sun light.

Store in a well-ventilated space.

See identified uses in Section 1.2.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1. National limit values

ASPHALT

United Kingdom (EH40/2005)

Time-weighted-average exposure limit (TWA) 5 mg/m³ Short term exposure limit (STEL) 10 mg/m³

DIATOMACEOUS EARTH

United Kingdom (EH40/2005)

Time-weighted-average exposure limit (TWA) 1.2 mg/m³ (Respirable dust)

DNEL

DISTILLATES (PETROLEUM), HYDROTREATED HEAVY NAPHTHENIC

	Type of exposure	Route of exposure	Value
Worker	Chronic Local	Inhalation	5.4 mg/m ³

PNEC

No data available.

8.2. Exposure controls

The risks posed by the product or its constituents must be considered in the task specific risk assessment, in accordance with current working environment legislation. The risk assessment should be reviewed regularly and updated if necessary.

8.2.1. Appropriate engineering controls

The ventilation in the workplace must ensure an air quality that meets the requirements of the current working environment legislation. Local exhaust ventilation should be used to remove airborne contaminants at the source.

Eye/face protection

Eye protection should be worn if there is any danger of direct exposure or splashing.

Skin protection

Special measures for protection of the skin are necessary only in rare working situations. In case of doubt, consult occupational expertise. Show this safety data sheet.

Normal working-clothes of cotton or synthetic material should be adequate. Clothing contaminated with this product should be washed immediately; avoid contact with the skin.

Protective gloves are normally not needed due to the properties of this product, but may be necessary for other reasons, e.g. mechanical risks, temperature conditions or microbiological risks.

Respiratory protection

Use appropriate respiratory protective equipment in case of insufficient ventilation.

The most appropriate respiratory protective equipment should be decided in consultation with the appointed safety representative, taking into account the risk assessment for the specific task.

8.2.3. Environmental exposure controls

For limitation of environmental exposure, see Section 12.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Form: Solid of unspecified shape. Colour: brownish black. a) Appearance b) Odour characteristic c) Odour threshold Not indicated Not indicated d) pH e) Melting point/freezing point Not indicated f) Initial boiling point and boiling range Not indicated g) Flash point 220.0 °C h) Evaporation rate Not indicated i) Flammability (solid, gas) Not applicable j) Upper/lower flammability or explosive limits Not indicated k) Vapour pressure Not indicated 1) Vapour density Not indicated m) Relative density 1.150 kg/L Solubility in water: Insoluble n) Solubility o) Partition coefficient: n-octanol/water Not applicable p) Auto-ignition temperature 230 °C q) Decomposition temperature Not indicated Not indicated r) Viscosity s) Explosive properties Not applicable

Not applicable

9.2. Other information

t) Oxidising properties

No data available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product hardens.

10.2. Chemical stability

The product is stable at normal storage and handling conditions.

10.3. Possibility of hazardous reactions

At normal handling and use, hazardous reactions will not occur.

10.4. Conditions to avoid

Avoid sources of ignition and excessive temperatures.

10.5. Incompatible materials

Avoid contact with oxidizers.

10.6. Hazardous decomposition products

Irritating and toxic gases form at extremely high temperatures.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Information on possible health hazards are based on experience and / or toxicological properties of several components in the product.

Acute toxicity

The product is not classified as acutely toxic.

DISTILLATES (PETROLEUM), HYDROTREATED HEAVY NAPHTHENIC

LD50 rabbit 24h: > 2000 mg/kg Dermally LC50 rat 4h: > 5.53 mg/l Inhalation LD50 rat 24h: > 5000 mg/kg Orally

LD50 Tat 2411. > 5000 Hig/Kg

Skin corrosion/irritation

The criteria for classification cannot be considered fulfilled based on available data.

Serious eye damage/irritation

The product is not classified for serious eye damage/eye irritation.

Respiratory or skin sensitisation

The product is not classified as sensitising.

Germ cell mutagenicity

The product is not classified as mutagen.

Carcinogenicity

The product is not classified as carcinogenic.

Reproductive toxicity

The product is not classified as a reproductive toxicant.

STOT-single exposure

The product is not classified for specific organ toxicity after single exposure.

STOT-repeated exposure

The product is not classified for specific organ toxicity after repeated exposure.

Aspiration hazard

The product is not classified as being toxic for aspiration.

SECTION 12: Ecological information

12.1. Toxicity

The product is not to be labelled as a environmental hazard. However, it is not inconceivable that large emissions, or repeated small emissions, can have a harmful effect on the environment.

Prevent release on land, in water and drains.

DISTILLATES (PETROLEUM), HYDROTREATED HEAVY NAPHTHENIC

EC50 Freshwater water flea (Daphnia magna) 48 h: > 10000 mg/L LC50 Fish 96h: > 100 mg/l

LC30 Fish 96h: > 100 mg/l

NOEC Freshwater water flea (Daphnia magna) 21d: 10 mg/L

12.2. Persistence and degradability

The product is persistent.

12.3. Bioaccumulative potential

Neither this product, nor its contents, accumulates in nature.

12.4. Mobility in soil

The product is not very mobile in nature due to low solubility in water. The hardened product is very immobile.

12.5. Results of PBT and vPvB assessment

No chemical safety report has been prepared.

12.6. Other adverse effects

No known effects or hazards.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste handling of the product

The product is not classified as hazardous waste.

This product may be recycled; Contact the distributor for information.

See directive 2008/98/EC on waste. Observe national or regional provisions on waste management.

SECTION 14: Transport information

Where not otherwise stated the information applies to all of the UN Model Regulations, i.e. ADR (road), RID (railway), ADN (inland waterways), IMDG (sea), and ICAO (IATA) (air).

14.1. UN number

Not classified as dangerous goods

14.2. UN proper shipping name

Not applicable

14.3. Transport hazard class(es)

Not applicable

14.4. Packing group

Not applicable

14.5. Environmental hazards

Not applicable

14.6. Special precautions for user

Not applicable

- **14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code** Not applicable
- 14.8 Other transport information

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture Not indicated.

15.2. Chemical safety assessment

Assessment and chemical safety report in accordance with 1907/2006 Annex I has not yet been performed.

SECTION 16: Other information

16a. Indication of where changes have been made to the previous version of the safety data sheet Revisions of this document

Earlier versions

2021-05-12 Changes in section(s) 1.

16b. Legend to abbreviations and acronyms used in the safety data sheet Full texts for Hazard Class and Category Code mentioned in section 3

Skin Irrit. 2 Skin corrosion/irritation, Hazard Category 2 - Skin Irrit. 2, H315 - Causes skin irritation

Explanations of the abbreviations in Section 14

ADR European Agreement concerning the International Transport of Dangerous Goods by Road

RID Regulations concerning the International Transport of Dangerous Goods by Rail

IMDG International Maritime Dangerous Goods Code

ICAO International Civil Aviation Organization (ICAO, 999 University Street, Montreal, Quebec H3C 5H7, Canada)

IATA The International Air Transport Association

16c. Key literature references and sources for data Sources for data

Primary data for the calculation of the hazards has preferentially been taken from the official European classification list, 1272/2008 Annex I, as updated to 2021-06-30.

Where such data was not available, alternative documentation used to establish the official classification was used, e.g. IUCLID (International Uniform Chemical Information Database). As a second alternative, information was used from reputable international chemical industries, and as a third alternative other available information was used, e.g. material safety data sheets from other suppliers or information from non-profit associations, where reliability of the source was assessed by expert opinion. If, in spite of this, reliable information could not be sourced, the hazards were assessed by expert opinions based on the known hazards of similar substances, and according to the principles in 1907/2006 and 1272/2008.

Full texts for Regulations mentioned in this Safety Data Sheet

- 1907/2006 REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC
 2015/020
- 2015/830 COMMISSION REGULATION (EU) 2015/830 of 28 May 2015 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH)
- 1272/2008 REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006

16d. Methods of evaluating information referred to in 1272/2008 Article 9 which was used for the purpose of classification

Hazard calculation for this mixture has been performed as a cumulative assessment with the aid of expert assessments in accordance with 1272/2008 Annex I, where all available information which may be significant to establishing the hazards of the mixture was assessed together, and in accordance with 1907/2006 Annex XI.

16e. List of relevant hazard statements and/or precautionary statements

Full texts for hazard statements mentioned in section 3

H315 Causes skin irritation

16f. Advice on any training appropriate for workers to ensure protection of human health and the environment Warning for misuse

This product is not expected to cause severe harm to humans or the environment. However the manufacturer, the distributor or the supplier cannot be responsible for unusual or criminal use of the product.

Other relevant information

Not indicated

Editorial information



This material safety data sheet has been prepared and checked by KemRisk®, KemRisk Sweden AB, Platensgatan 8, SE-582 20 Linköping, Sweden, <u>www.kemrisk.se</u>